L Number	Hits	Search Text	DB	Time stamp
1	6	(("6441813") or ("5630204") or ("6147712")	USPAT	2003/05/12 11:36
_	3	or ("5631710")).PN. input adj interface.ti,ab. and semiconductor adj device.ti,ab. and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/10 11:03
-	2	input adj interface.ti. and semiconductor adj device.ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/16 18:32
_	18	input adj interface.ti,ab. and semiconductor adj device.ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/16 18:33
_	1428	(257/99).ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:28
~	26	((257/99).CCLS.) and input and output and display	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:29
-	7	((257/99).CCLS.) and input and output and display and compress\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:32
-	10	370/\$6.ccls. and semiconductor adj substrate and integrated and input and output and display and compress\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:52
_	1889	((257/99) or (370/395) or (370/348)).CCLS.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:53
-	10	(((257/99) or (370/395) or (370/348)).CCLS.) and input and output and display and compress\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:54
-	8	(((257/99) or (370/395) or (370/348)).CCLS.) and input and output and display and compress\$3 and (semiconductor or substrate or die or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:55
-	2	chip) ("5914955").PN.	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/05 14:19
~	0	type near5 multiplex\$3 near2 data near5 demultiplex\$3 near6 single	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/05 14:21
-	0	multiplex\$3 near2 data near5 demultiplex\$3 near6 single adj type	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05

-	0	1		
1		multiplex\$3 near2 data near15 demultiplex\$3 near6 single near12 type	USPAT; US-PGPUB;	2003/05/05 14:23
			EPO; JPO; DERWENT; IBM TDB	
_	0	multiplex\$3 near2 data near15	USPAT;	2003/05/05
}		demultiplex\$3 near6 single near15 type	US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	
	07	1	IBM_TDB	
-	87	multiplex\$3 near2 data near15 demultiplex\$3 near6 single	USPAT;	2003/05/05
		demulciplex43 healt single	US-PGPUB; EPO; JPO;	14:25
İ			DERWENT;	
			IBM TDB	
] -	0	(multiplex\$3 near2 data near15	USPAT;	2003/05/05
		demultiplex\$3 near6 single) and	US-PGPUB;	14:24
		rostoker.in.	EPO; JPO;	
			DERWENT; IBM TDB	
_	5	semiconductor.ti,ab,clm. and (multiplex\$3	USPAT;	2003/05/05
		near2 data near15 demultiplex\$3 near6	US-PGPUB;	14:38
		single)	EPO; JPO;	
			DERWENT;	
	0	semiconductor.ti,ab,clm. and compressed	IBM_TDB	2002/05/05
	U	near15 decompressed near12 data near12	USPAT; US-PGPUB;	2003/05/05 14:39
		(different or various) near12 type	EPO; JPO;	14.35
		,	DERWENT;	
			IBM_TDB	
~	8	compressed near15 decompressed near12	USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:39
		type	EPO; JPO; DERWENT;	
		•	IBM TDB	
-	0	compressed near15 decompressed near12	USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:40
		type and (semiconductor or chip or die)	EPO; JPO;	
			DERWENT; IBM TDB	
_	3	compress\$3 near15 decompress\$3 near12	USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:41
		type and (semiconductor or chip or	EPO; JPO;	
ļ		die).ti,ab,clm.	DERWENT;	
_	24	compress\$3 near15 decompress\$3 near12	IBM_TDB	2002/05/05
	2.1	data near12 (different or various) near12	USPAT; US-PGPUB;	2003/05/05 14:50
		type and (semiconductor or chip or die)	EPO; JPO;	
		· · ·	DERWENT;	
_	_	magatha 1 maga12	IBM_TDB	0000/65/55
-	0	maestro-1 near12 compression near12 decompression near12 data near12 type	USPAT; US-PGPUB;	2003/05/05
		accomplession heariz data heariz type	EPO; JPO;	14:51
1			DERWENT;	
			IBM_TDB	
-	0		USPĀT;	2003/05/05
		decompression) near12 data near12 type	US-PGPUB;	14:51
			EPO; JPO;	
]			DERWENT; IBM TDB	
-	2	("6477185").PN.	USPAT;	2003/05/07
			US-PGPUB;	13:40
			EPO; JPO;	
[į		DERWENT;	
	1	("6553147").PN.	IBM_TDB	2002/05/07
	_	(COODITY	USPAT; US-PGPUB;	2003/05/07 13:40
			EPO; JPO;	20.40
1	1			1
	l		DERWENT;	

			•	
-	2	("6525775").PN.	USPAT;	2003/05/07
1	ŀ		US-PGPUB;	13:41
}			EPO; JPO;	
			DERWENT;	
· ·	}		IBM TDB	
-	2	("6356312").PN.	USPAT;	2003/05/07
	·		US-PGPUB;	13:41
			EPO; JPO;	
1	'		DERWENT;	j
			IBM TDB	
_	7	(("6477185").PN.) or (("6553147").PN.) or	USPAT;	2003/05/07
	į į	(("6525775").PN.) or (("6356312").PN.)	US-PGPUB;	13:41
		((333377):111.)	EPO; JPO;	15.41
Į.				Į.
	1		DERWENT;	
_	1	((("6477185").PN.) or (("6553147").PN.)	IBM_TDB	2002/05/07
	1		USPAT;	2003/05/07
Į.	1	or (("6525775").PN.) or	US-PGPUB;	13:53
		(("6356312").PN.)) and input adj terminal	EPO; JPO;	
	1	and (compressed or compression) near6	DERWENT;	1
		data and (multiplexing or multiplex or	IBM_TDB	
		multiplexed) and (demultiplex or		
		demultiplexing or demultiplexed) near6		, [
] _ [bus]	
_	0	((("6477185").PN.) or (("6553147").PN.)	USPAT;	2003/05/07
		or (("6525775").PN.) or	US-PGPUB;	13:54
	į l	(("6356312").PN.)) and input adj terminal	EPO; JPO;	
		and (compressed or compression) near6	DERWENT;	
		data and (multiplexing or multiplex or	IBM TDB	ļ
	İ	multiplexed) and (demultiplex or	_	
	1	demultiplexing or demultiplexed) near6		
		bus and semiconductor		
-	0		USPAT;	2003/05/07
		or (("6525775").PN.) or	US-PGPUB;	15:21
		(("6356312").PN.)) and (semiconductor or	EPO; JPO;	
		chip or die)	DERWENT;	
		•	IBM TDB	i i
_	53	demultiplex\$3 near6 single and	USPAT;	2003/05/07
		348/\$6.ccls.	US-PGPUB;	15:23
		,, ,	EPO; JPO;	13.23
			DERWENT;	
			IBM TDB	Į į
_	l ol	demultiplex\$3 near6 single and	USPAT;	2003/05/07
1	_	348/\$6.ccls. and (substrate or	US-PGPUB;	15:28
		semiconductor or die or chip) and input	EPO; JPO;	
1		near3 terminal and output near3 terminal	DERWENT;	
1		and (transmit or transmitted or	IBM_TDB	
		transmission) near6 bus	~DI1_1DD	
_	0	demultiplex\$3 near6 single and	USPAT;	2003/05/07
]	348/\$6.ccls. and (substrate or	US-PGPUB;	15:29
	[semiconductor or die or chip) and input	· ·	10.29
1		near3 terminal and output near3 terminal	EPO; JPO;	
		and (transmit or transmitted or	DERWENT;	
		transmission) and bus	IBM_TDB	
_	0	•	l Henam.	2002/05/03
	"		USPAT;	2003/05/07
1		single and 348/\$6.ccls. and (substrate or	US-PGPUB;	15:30
		semiconductor or die or chip) and input	EPO; JPO;	
1	1	near3 terminal and output near3 terminal	DERWENT;	
		and (transmit or transmitted or	IBM_TDB	
1	1	transmission) and bus		
-	0	(de-multiplex\$3 demultiplex\$3) near6	USPAT;	2003/05/07
]]	single and 348/\$6.ccls. and (substrate or	US-PGPUB;	15:31
[semiconductor or die or chip) and input	EPO; JPO;	
]	[near3 terminal and output near3 terminal	DERWENT;	Ì
[l i	and bus	IBM_TDB	
-	0	(de-multiplex\$3 demultiplex\$3) near4	USPAT;	2003/05/07
ļ		"into" near6 single and 348/\$6.ccls. and	US-PGPUB;	15:32
		(substrate or semiconductor or die or	EPO; JPO;	
		chip) and input near3 terminal and output	DERWENT;	
		near3 terminal	IBM TDB	
		· · · · · · · · · · · · · · · · · · ·		·

-	0	(de-multiplex\$3 demultiplex\$3 compres\$4)	USPAT;	2003/05/07
		near4 "into" near6 single and	US-PGPUB;	15:32
1	1	348/\$6.ccls. and (substrate or	EPO; JPO;	1
	i	semiconductor or die or chip) and input	DERWENT;	
	1	near3 terminal and output near3 terminal	IBM_TDB	1
-	0	(the manufacture demandary of compress)	USPAT;	2003/05/07
		near4 "into" near6 single and	US-PGPUB;	15:32
		348/\$6.ccls.	EPO; JPO;	
			DERWENT;	1
			IBM TDB	
-) 0	(de-multiplex\$3 demultiplex\$3 compres\$4)	USPAT;	2003/05/07
		near4 "into" near6 single	US-PGPUB;	15:32
	1	lival's filed field bringle	EPO; JPO;	15.52
				Į.
			DERWENT;	1
_	20	demultiplex\$3 near6 single and	IBM_TDB	2002 (05 (07
	20	240/66 ggls and /substants and	USPAT;	2003/05/07
1	ļ	348/\$6.ccls. and (substrate or	US-PGPUB;	16:15
		semiconductor or die or chip)	EPO; JPO;	1
1	ļ		DERWENT;	İ
			IBM_TDB	
j -	8		USPAT;	2003/05/07
	1	single	US-PGPUB;	17:02
1			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	8	"mpeg-4"\$2 and (demux or demultiplex\$3)	USPAT;	2003/05/07
		near6 single	US-PGPUB;	17:03
((· ·	EPO; JPO;	Į
			DERWENT;	
(į		IBM TDB	
-	20	"mpeg-4"\$2 and (demux or demultiplex\$3)	USPAT;	2003/05/07
1		near12 single	US-PGPUB;	17:04
			EPO; JPO;	17.01
	ļ		DERWENT;	
İ	i		IBM TDB	
_	0	(("6477185").PN.) and decompress\$3	USPAT;	2003/05/08
		(oir, iso) iini, and accomplessors	US-PGPUB;	10:11
Ì			EPO; JPO;	10.11
			DERWENT;	
	Ì		IBM TDB	Ì
l _	2	("6477185").PN.	USPAT;	2003/05/09
	-	(04//105 /.EN.		1
1			US-PGPUB;	15:45
			EPO; JPO;	
1			DERWENT;	
_	25	decompression near4 data near6	IBM_TDB	2002/05/00
	25	demultiplexes	USPAT;	2003/05/09
		demultiplex\$3	US~PGPUB;	16:25
			EPO; JPO;	ì
			DERWENT;	
_	-	gingle manuf has manuf date at the	IBM_TDB	0000 405 405
] -	1	j was means amon mount ofpo	USPAT;	2003/05/09
		and compress\$3 and demultiplex\$3	US-PGPUB;	16:28
			EPO; JPO;	[
			DERWENT;	1
	_		IBM_TDB	
-	0		USPAT;	2003/05/09
		and audio and video	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
_	18	single adj bus near6 (type near2 data)	USPAT;	2003/05/09
			US-PGPUB;	16:35
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	2	separate adj bus near6 (type near2 data)	USPAT;	2003/05/09
			US-PGPUB;	16:50
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	L			

-	3	separate adj bus near10 (type near2 data)	USPAT; US-PGPUB; EPO; JPO;	2003/05/09 16:52
			DERWENT; IBM TDB	
-	78	(bus near3 video) near3 (bus near3 audio) and (multiplex\$3 or compress\$3)	USPĀT; US-PGPUB;	2003/05/09 16:54
			EPO; JPO; DERWENT; IBM TDB	
-	6	(bus near3 video) near2 (bus near3 audio) and (multiplex\$3 or compress\$3) and input	USPAT; US-PGPUB;	2003/05/09 17:05
		near6 output near6 terminal	EPO; JPO; DERWENT;	5
_	60	(bus near3 video) near20 (bus near3 audio).ti,ab,clm.	IBM_TDB USPAT; US-PGPUB;	2003/05/09
			EPO; JPO; DERWENT;	
-	5	(bus near3 video) near20 (bus near3 audio).ti,ab,clm. and (compression or	IBM_TDB USPAT; US-PGPUB;	2003/05/09
		compressed or multiplexing or multiplexed).ti,ab,clm.	EPO; JPO; DERWENT;	
-	22	(bus near1 video) near12 (bus near1 audio) and (compression or compressed or	IBM_TDB USPAT; US-PGPUB;	2003/05/09 17:11
	i	multiplexing or multiplexed)	EPO; JPO; DERWENT;	
-	12	(bus near1 video) near12 (bus near1 audio) and (compression or compressed or	IBM_TDB USPAT; US-PGPUB;	2003/05/09
	į	multiplexing or multiplexed).ti,ab,clm.	EPO; JPO; DERWENT;	
-	0	video adj bus near15 frequency adj (range or domain) near15 audio adj bus	IBM_TDB USPAT; US-PGPUB;	2003/05/09 17:18
			EPO; JPO; DERWENT;	
-	0	video adj bus near15 frequency near15 audio adj bus	IBM_TDB USPAT; US-PGPUB;	2003/05/09 17:43
			EPO; JPO; DERWENT; IBM TDB	
_	0	mpeg\$2 near6 standard near6 video adj bus	USPAT; US-PGPUB;	2003/05/09 17:44
			EPO; JPO; DERWENT; IBM TDB	
-	411	mpeg-4.ti,ab,clm.	USPAT; US-PGPUB;	2003/05/09 17:45
			EPO; JPO; DERWENT; IBM TDB	
-		<pre>mpeg-4.ti,ab,clm. and video adj bus.ti,ab,clm.</pre>	USPĀT; US-PGPUB;	2003/05/09 17:46
			EPO; JPO; DERWENT; IBM_TDB	
-	0	mpeg-4.ti,ab,clm. and video adj bus and audio adj bus	USPAT; US-PGPUB; EPO; JPO;	2003/05/09 17:46
	_		DERWENT; IBM_TDB	
~	0	mpeg-4.ti,ab,clm. and video adj bus	USPAT; US-PGPUB; EPO; JPO;	2003/05/09 17:46
			DERWENT; IBM_TDB	

		,		
-	21	mpeg\$2 and audio adj bus and video adj	USPAT;	2003/05/09
]	bus	US-PGPUB; EPO; JPO;	17:48
1			DERWENT;	
	1		IBM_TDB	
-	7	mpeg\$2 and audio adj bus and (zoomed adj	USPAT;	2003/05/09
1		video or zv)	US-PGPUB;	18:17
			EPO; JPO;	
			DERWENT;	
_	2	("5914955").PN.	IBM_TDB USPAT;	2003/05/09
	[(3311333).110.	US-PGPUB;	19:21
			EPO; JPO;	13.21
1			DERWENT;	
	l		IBM_TDB	
-	8709	ram and controller and driver and decoder	USPAT;	2003/05/09
	}		US-PGPUB;	19:24
			EPO; JPO; DERWENT;	
	1		IBM TDB	
-	10	(US-5805488-\$ or US-5355508-\$ or	USPAT;	2003/05/09
		US-5914955-\$ or US-5537229-\$ or	US-PGPUB	19:23
		US-6006105-\$ or US-6026088-\$ or		
		US-6310652-\$ or US-5615056-\$ or US-6157976-\$).did. or		
		(US-20020186694-\$).did.		
1 -	1	1 '	USPAT;	2003/05/09
	ļ	decoder) and ((US-5805488-\$ or	US-PGPUB;	19:31
		US-5355508-\$ or US-5914955-\$ or	EPO; JPO;	
:	:	US-5537229-\$ or US-6006105-\$ or	DERWENT;	
		US-6026088-\$ or US-6310652-\$ or US-5615056-\$ or US-6157976-\$).did. or	IBM_TDB	
		(US-20020186694-\$).did.)		
-	19334	ram and controller and decoder	USPAT;	2003/05/09
	ĺ		US-PGPUB;	19:25
			EPO; JPO;	
	•		DERWENT;	
	4	((US-5805488-\$ or US-5355508-\$ or	IBM_TDB USPAT;	2003/05/09
	1	US-5914955-\$ or US-5537229-\$ or	US-PGPUB;	19:46
1		US-6006105-\$ or US-6026088-\$ or	EPO; JPO;	
		US-6310652-\$ or US-5615056-\$ or	DERWENT;	
		US-6157976-\$).did. or	IBM_TDB	
	ļ	(US-20020186694-\$).did.) and (ram and controller and decoder)	1	1
_	2	display.ti,ab,clm. and input adj terminal	USPAT;	2003/05/09
	1	near5 compressed adj data and ram	US-PGPUB;	19:32
	ļ		EPO; JPO;	
			DERWENT;	
_	2	display.ti,ab,clm. and input adj terminal	IBM_TDB USPAT;	2003/05/09
-		near5 compressed adj data and ram and	US-PGPUB;	19:33
		(decode or decoder or decoding)	EPO; JPO;	-
			DERWENT;	
	_	dignlars to ab also and one to 12 to 12 a	IBM_TDB	2002/05/02
-	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram and	USPAT; US-PGPUB;	2003/05/09
	1	(decode or decoder or decoding) and	EPO; JPO;	13.31
	l .	(driving or driver)	DERWENT;	
		_	IBM_TDB	
_	3	display.ti,ab,clm. and input adj terminal	USPAT;	2003/05/09
		near5 compressed adj data	US-PGPUB;	19:38
	1		EPO; JPO; DERWENT;	ı
	Ę		IBM TDB	
-	1245	mpeg\$2 and display and (decode or decoder	USPAT;	2003/05/09
		or decoding) and ram and (driving or	US-PGPUB;	19:55
	1	driver) and controller	EPO; JPO;	
	1		DERWENT;	
	L		IBM_TDB	

-	151	1 2	USPAT;	2003/05/09
		or decoding) and ram and (driving or	US-PGPUB;	19:54
		driver) and controller and input adj	EPO; JPO;) i
		terminal	DERWENT;	
_	76	 mpeg\$2 and display and (decode or decoder	IBM_TDB USPAT;	2003/05/09
	70	or decoding) and ram and (driving or	US-PGPUB;	19:50
		driver) and controller and input adj	EPO; JPO;	19.50
		terminal and semiconductor	DERWENT;	1
			IBM TDB	
_	3	mpeg\$2 and display and (decode or decoder	USPAT;	2003/05/09
		or decoding) and ram and (driving or	US-PGPUB;	19:50
		driver) and controller and input adj	EPO; JPO;	
		terminal and semiconductor and electrode	DERWENT;	
		near10 display	IBM_TDB	1
-	0	(370/395).CCLS.	USPAT;	2003/05/09
			US-PGPUB;	19:54
			EPO; JPO;	!
			DERWENT; IBM TDB	
_	484	(370/348).ccls.	USPAT;	2003/05/09
	101	(2.0,0.0),0000,	US~PGPUB;	19:55
			EPO; JPO;	
			DERWENT;	
	i		IBM TDB	
-	0	(mpeg\$2 and display and (decode or	USPAT;	2003/05/09
		decoder or decoding) and ram and (driving	US-PGPUB;	19:55
		or driver) and controller and input adj	EPO; JPO;	
		terminal) and ((370/348).CCLS.)	DERWENT;	
	95		IBM_TDB	2002/05/00
_	95	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or	USPAT;	2003/05/09
		driver) and controller and 370/\$6.ccls.	US-PGPUB; EPO; JPO;	19:56
		dilver, and controller and 570/50.ccls.	DERWENT;	
			IBM TDB	
	2	mpeg\$2 and display and (decode or decoder	USPAT;	2003/05/09
		or decoding) and ram and (driving or	US-PGPUB;	20:50
		driver) and controller and 370/\$6.ccls.	EPO; JPO;	
		and input adj terminal	DERWENT;	
			IBM_TDB	
-	15		USPAT;	2003/05/09
		electrode near12 display adj section	US-PGPUB;	20:52
			EPO; JPO;	
			DERWENT;	
_	0	RAM near12 LCD adj display near12 read	IBM_TDB USPAT;	2003/05/10
	J.	near12 (repeat or repeated or repeatedly	US-PGPUB;	11:05
		or twice or phase)	EPO; JPO;	
		· ·	DERWENT;	
			IBM_TDB	
-	25	RAM near12 LCD adj display near12 read	USPAT;	2003/05/10
			US-PGPUB;	11:12
			EPO; JPO;	
			DERWENT;	
 _	0	DAM nearly ICD add display manual attack	IBM_TDB	2002/05/10
	U	RAM near12 LCD adj display near12 phase	USPAT; US-PGPUB;	2003/05/10
1			EPO; JPO;	11.17
			DERWENT;	
			IBM TDB	
_	56	RAM near12 display near12 phase	USPAT;	2003/05/10
		•	US-PGPUB;	11:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8		USPAT;	2003/05/10
		display near12 phase	US-PGPUB;	12:39
			EPO; JPO;	
l l			DERWENT; IBM TDB	

	0	RAM near12 restored near12 display near12	USPAT;	2003/05/10
-	,		l·	12:39
ľ		phase	US-PGPUB;	12:39
			EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	729	RAM near12 restored	USPAT;	2003/05/10
			US-PGPUB;	12:39
1	}		EPO; JPO;	
	[DERWENT;	
			IBM_TDB	
j -	8	(RAM near12 restored) and "epson"	USPAT;	2003/05/10
			US-PGPUB;	12:43
			EPO; JPO;	
			DERWENT;	
	\		IBM TDB	
_	146	tamura.in. and "epson"	USPAT;	2003/05/10
			US-PGPUB;	12:44
			EPO; JPO;	
	<u> </u>		DERWENT;	
			IBM TDB	
_	19	tamura.in. and tsuyoshi.in. and "epson"	USPAT;	2003/05/10
			US-PGPUB;	12:50
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
_	3	tamura.in. and tsuyoshi.in. and "epson"	USPAT;	2003/05/10
}		and "two times"	US-PGPUB;	12:51
	Į.		EPO; JPO;	
			DERWENT;	
			IBM TDB	1